

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

August 29, 2013

WELL WORK PERMIT

Vertical Well

This permit, API Well Number: 47-9902272, issued to ADKINS, TEDDY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: MUSICK 6

Farm Name: STEWART, BILLY G.

API Well Number: 47-9902272 Permit Type: Vertical Well

Date Issued: 08/29/2013

Promoting a healthy environment.

PERMIT CONDITIONS


West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

		<u>v</u>	VLLL VVOICITIE	IXIVIII AI I LIC	99	01	559
1) Well Operato	or: TEDDY	ADKINS		494457566	T	BUTLER	PRICHARD 7.5
	8			Operator ID	County	District	Quadrangle
2) Operator's V	Vell Numb	per:	MUSICK #6		3) Elevation:	935'	
4) Well Type: (a	a) Oil <u>X</u>	or Ga	ıs				
(ł	o) If Gas:	Produ	ction/ Und	derground Sto	rage		
			o/ S				
5) Proposed Ta6) Proposed Ta7) Approximate8) Approximate	arget Forr otal Depth fresh wa salt wate	mation(s) n:2500 ater strata er depths	: BEREA Feet a depths: 240'	Formation at I	Proposed Tar Proposed Tota	get Depth: 6	2250' E & SHELLS
9) Approximate	coal sea	m depth	s: NONE				
10) Approximat	te void de	epths,(co	al, Karst, other):	NONE			
			s tributary to act		NO		
PERFORATE AND	FRACTURE .	APPROXIMA	nd fracturing meth TELY AS FOLLOWS: 13,000# 30/50 SAN			al sheets if nee	eded)
12 PERF HO							11
13) TYPE S	SPECIFIC		ASING AND TU	BING PROGR FOOTAGE		QÉME!	<u>NT</u>
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	Left in Well	Fill up (Cu.	. Ft.)
Conductor	10-3/4	Н	32 LBS	10'	10'		
Fresh Water	8-5/8	Н	24 LBS	350'	350'	100 CU. FT.	
Coal						5	
Intermediate	7	J	20 LBS	1440'	1440'	100 CU. FT.	
Production	4-1/2	N-80	11.6 LBS		2300'	110 CU. FT.	
Tubing						Hecei	Ved
Liners						AUG - 0	
Packers: Kind Size					. WV Dog	Office of Oil and	Gas al Protection



WW-2A (Rev. 6-07)

1). Date:	AUGUST 2, 20	13	
2.) Operator's	Well Number	MUSICK #6	
	State	County	Permit

3.) API Well No.: 47-

099

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

	ner(s) to be served BILL STEWART	d: \\/	5) (a) Coal Op	perator NONE	
(a) Name		CDEEK DD	_ Name	NONL	
Address	2238 GREENBRIEF FORT GAY, WV 25		Address		
(b) Name	FURT GAT, WV Z	1314		Dwner(s) with Declaration	on.
Address			(b) Coar (NONE	311
Address			Address		Constitution of the Consti
(c) Name			Name		
Address			Address		
6) Inspector	JEREMY JAMES		(c) Coal L	essee with Declaration	
, (aa. 000	P. O. BOX 147		Name	NONE	
	ONA, WV 25545		Address		
Telephone	304-951-2596				
				TAKE NOTICE THAT:	
				racts by which I hold the r	
OR Included in the	o information requir	ad by Chantar 20	Article & Secti	on 8(d) of the Code of We ginia Code I have served	est Virginia (see page 2)
Included is the	at as required und	er Chanter 22-6	of the West Vir	ginia Code I have served	copies of this notice and
				ough on the above na	
арриоцион, а гоод Х		ce (Affidavit atta			ca paraso ay.
·		Postmarked post		ed)	
(Publication (No	otice of Publication	on attached)		
		Chapter 22-6 and	d 35 CSR 4, and	I agree to the terms an	nd conditions of any permit
issued under this					
					information submitted on
	rm and all attachm mation, I believe th				nmediately responsible for
					the possibility of fine and
imprisonment.	o that there are eig	rimodrit portation		-	, ine possizini, si inie ana
1000-0014 - Profession (1000-0-00000000 2000-0-0001)		Well Operator	TEDDY ADKIN	S	
		By:	Weddel	allens	
		Its:	OWNER		
		Address	14485 S CÁLH		
		Talambana	ARNOLDSBURG,		
Subscribed and su	worn before me this	Telephone	304-377-1114	(ULLL)	, >
Subscribed and st		day of	_augue		OFFICIAL SEAL
	Weeki K	James	V	Notary Public	NOTARY PUBLIC STATE OF WEST VIRGINIA
My Commission E	xpires	1 man	17,2016	Received	以CKI K. JAMES
Oil and Gas Privacy N	lotice	0	,		702 LYNNCAMP RUN HOAD NORMANTOWN, WV 25267 My commission expires May 7, 2016
The Office of Oil and	Gas processes your pe	rsonal information,	such as name, add	iress and phone number, as a	part of our regulatory duties.

with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov

WW-9 (5/13)

API Number 47 -	099	Page_	1	_ of	3	
Operator's W	Vell N	o. Mt	JSICK	6	_	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name TEDDY ADKINS OP Code 494457566
Watershed (HUC 10) GREENBRIER CREEK Quadrangle PRICHARD
Elevation 935 County WAYNE District BUTLER
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes NoX Will a pit be used for drill cuttings? Yes X No If so, please describe anticipated pit waste: GELL WATER, DRILL CUTTINGS, FRESHWATER
Will a synthetic liner be used in the pit? Yes X No If so, what ml.? 6-MIL 20 MIL
Proposed Disposal Method For Treated Pit Wastes:
Land Application Underground Injection (UIC Permit Number) Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain
Will closed loop system be used? N/A
Drilling medium anticipated for this well? Air, freshwater, oil based, etc. FRESHWATER
-If oil based, what type? Synthetic, petroleum, etc
Additives to be used in drilling medium?
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. LEAVE IN PIT
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature USU USUNS
Company Official (Typed Name) TEDDY ADKINS
Company Official TitleOWNER
Subscribed and sworn before me this 5th day of august , 20 13
Motary Public Official SEAL
My commission expires May 7, 2013 OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA OIL VINCKIES JAMES NORMANTOWN WILLIESE MY COMMISSION Expires May 7, 2016

					Operator's Wel	l No. MUSICK #6
roposed Revegetation Treatm	nent: Acres Distr	urbed	1.5		Prevegetation pH	5.5
Lime3						
		F00				
Fertilizer (10-20-20 o	r equivalent)	2			s minimum)	
Mulch			_Tons/acre	:		
			Seed M	lixtures		
Area					Area	
Seed Type	lbs/acre				Seed Type	lbs/acre
ORCHARD GRASS	25		_		LADINO CLOVER	5
RED TOP CLOVER	15				KY 31	40
attach: Prawing(s) of road, location,p Photocopied section of involve				ition.		
		nic sheet.				
Prawing(s) of road, location, properties of involved the section of involved t		nic sheet.				1.81
Prawing(s) of road, location, properties of involved the section of involved t		nic sheet.				1.81
Prawing(s) of road, location, properties of involved the section of involved t		nic sheet.				1.81
Prawing(s) of road, location, properties of involved the section of involved t		nic sheet.				
Prawing(s) of road, location, properties of involved the section of involved t		nic sheet.				
Prawing(s) of road, location, properties of involved the section of involved t		nic sheet.				1.81

1

Office of Oil and Gas WV Dept. of Environmental Protection

Operator's Well No. MUSICK 6 Form WW-9 Attachments: Quadrangle Name: PRITCHARD 7.5' Photocopied section of involved 7.5' topographic sheet 528.38'E 165 SURFACE BILLY G. STEWART MINERAL EX. GRAVEL ROAD BILLY G. STEWART GRAPHIC SCALE 1 INCH = 600 FEET **LEGEND** Property Boundary Road = = = = = = = = = Spring Existing Fence $-\times -\times -\times -$ Wet Spot Planned Fence ___/__/_ Drain Pipe with size in inches ____ Stream Waterway Open Ditch Cross Drain Artifical Filter Strip xxxxxxxxxxxxxxxxxx Rock & North N Pit cut walls Buildings Pit compacted fill walls W Water Wells Area for Land Application of Pit Drill Site Drawing(s) of road, location, pit and proposed area for land application STONE 300'@2% CUT SECTION WITH DIVERSION DITCH MUSICK#6 OSED PIT MUSICK #6 PIT DISCHARGE GRAPHIC SCALE WV Dept. of Environmental Protection 1 INCH = 400 FEET